EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	(((connect$4 or featur$4 or face or facial) near3 (line or loop or segment)) same (sample near3 number)) and ((model or mesh or primitive or polygon$4 or shape or model$4) same ("3D" or "3-d" or ((three or "3") near dimension$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:27
L2	51	(((determin$4 or locat$4 or calculat$4 or retriv$4 or comput$4) with ((feature near line) or point or vertic$4 or vertex) with (face or facial) with (model or mesh or polygon)) and (connectiv$4)) and ((feature or line or vertic$4 or vertex or point)) and ((triangl$4 or triangular) near (mesh or grid)) and (construct$4)	USPAT	OR	ON	2009/02/10 11:28
L3	863	((input$4 or manual$4 or user) with ("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive) and (featur$4 near (line or loop or point or thread or joint or connect$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:28
L4	426	((input$4 or manual$4 or user) with ("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and (featur$4 near (line or loop or point or thread or joint or connect$4)) and (mesh or lattic$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:28
L8	119	((CHIA-CHEN) near2 (CHEN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/10 11:31
L9	5	((WEN-SHIOU) near2 (LOU)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/10 11:31
L10	168	((grid or mesh or tessellat$4 or tessellat$4 or tesselat$4) with ((chang$4 or alter$4 or adjust$4 or modif$4) near (number or amount or ratio or densit$4))) with (point or vertic$4 or vertex)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:31
L11	218	((featur$4 or face or facial) near2 (line or loop or segment)) and ((model or mesh or primitive or polygon$4 or shape or model$4) same (reconstruc$4) same ("3D" or "3-d" or ((three or "3") near dimension$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:31
L12	1351	(345/420).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 11:32
L13	2	((((model or polygon$4 or object or shape or primitiv$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension$4) or "3-D") same ((sampl$4 or resolution$4 or densit$4) with (maintain$4 or lock$4 or resist$4 or constant$4 or sustain$4 or uphold$4 or retain$4))) same reconstruc$4) and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:32
L14	42	(((featur$4 or characteris$4) with (thread or line or snak$4 or contour$4)) with ((model$4 or polygon$4 or object or shape or primitiv$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension$4) or "3-D"))) and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:32
L15	123	((((model or polygon$4 or object or shape or primitiv$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension$4) or "3-D")) same ((sampl$4 or resolution$4 or densit$4) with (maintain$4 or lock$4 or resist$4 or constant$4 or sustain$4 or uphold$4 or retain$4))) same reconstruc$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 11:32

L16	871	(((model$4 or polygon$4 or object or shape or primitiv$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension$4) or "3-D")) same ((sampl$4 or resolution$4 or densit$4) with (maintain$4 or lock$4 or resist$4 or constant$4 or sustain$4 or uphold$4 or retain$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L17	14	(((model$4 or polygon$4 or object or shape or primitiv$4 or avatar or face or facial) with ("3D" or ((three or "3") near dimension$4) or "3-D")) same ((sampl$4 or resolution$4 or densit$4) with (maintain$4 or lock$4 or resist$4 or constant$4 or sustain$4 or uphold$4 or retain$4))) and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L18	1686	(345/473).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2009/02/10 11:32
L19	268	((connect$4 or featur$4 or face or facial) with (line or loop or segment)) and ((model or mesh or primitive or polygon$4 or shape or model$4) same ("3D" or "3-D" or ((three or "3") near dimension$4))) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L20	30	((featur$4 with (point or vertex or vertic$4)) same (correct$4 or modify or modifica$4 or reconstruct$4)) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:32
L21	426	((input$4 or manual$4 or user) with ("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and (featur$4 near (line or loop or point or thread or joint or connect$4)) and (mesh or lattic$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:33
L22	175	((connect$4 or featur$4 or face or facial) near3 (line or loop or segment)) and ((model or mesh or primitive or polygon$4 or shape or model$4) same ("3D" or "3-d" or ((three or "3") near dimension$4))) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:33
L23	252	(("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and ((input$4 or manual$4 or user or person or operator) with (featur$4 near (line or loop or point or thread or joint or connect$4))) and (mesh or lattic$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:37
L24	468	(("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and ((input$4 or manual$4 or user or person or operator) with (featur$4 near3 (line or loop or point or thread or joint or connect$4))) and (mesh or lattic$4 or grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:37
L25	15	(("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and ((input$4 or manual$4 or user or person or operator) with (featur$4 near (line or loop or point or thread or joint or connect$4))) and (mesh or lattic$4 or grid) and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:38
L26	7	(("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and ((input$4 or manual$4 or user or person or operator) with (featur$4 near (line or loop or point or thread or joint or connect$4))) and (mesh or lattic$4 or grid) and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/02/10 11:38

| L27 | 21 | (("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and ((input$4 or manual$4 or user or person or operator) with (featur$4 near3 (line or loop or point or thread or joint or connect$4))) and (mesh or lattic$4 or grid) and 12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2009/02/10 11:38 |
| L28 | 8 | (("3D" or ((three or "3") near dimension$4) or "3-D") with (model or polygon$4 or shape or object or primitive)) and ((input$4 or manual$4 or user or person or operator) with (featur$4 near3 (line or loop or point or thread or joint or connect$4))) and (mesh or lattic$4 or grid) and 18 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2009/02/10 11:38 |